

Dr. Daniel H. Rich
School of Pharmacy
University of Wisconsin-Madison
777 Highland Avenue
Madison, WI 53706-2222
Telephone: 608-263-2499
FAX: 608-265-5712
E-mail: DHRich@wisc.edu

Publications

1. Deuterated Oxytocins: The Synthesis and Biological Properties of Three Crystalline Analogs of Deamino-Oxytocin Deuterated in the 1- β Mercaptopropionic Acid Position. A.T. Blomquist, D.H. Rich, V.J. Hruby, L.L. Nangeroni, P. Glose, and V. du Vigneaud, Proc. Nat'l. Acad. Sci., U.S., 71, 688 (1968).
2. Deuterated Oxytocins: The Synthesis and Biological Properties of a Crystalline Analog of Deamino-Oxytocin Deuterated in the 5-Asparagine Position. A.T. Blomquist, D.H. Rich, B.A. Carlson, G.A. Allen, V.J. Hruby, H. Takashima, L.L. Nangeroni, P. Glose, and V. du Vigneaud, Proc. Nat'l. Acad. Sci., U.S., 64, 236 (1969).
3. The Nitrous Acid Oxidation of N,N-Dialkylanilines. D.H. Rich and B.H. Tarnowski, J. Heterocyclic Chem., 7, 245 (1970).
4. The Olefinic Ketal Claisen Reaction. A Facile Route to Juvenile Hormone. W.S. Johnson, T.J. Brocksom, P. Lowe, D.H. Rich, L. Werthemann, R.A. Arnold, T. Li, and D.J. Faulkner, J. Am. Chem. Soc., 92, 4463 (1970).
5. Further Developments in the Nonenzymic Biogenetic-Like Steroid Synthesis. W.S. Johnson, T. Li, C.A. Harbert, W.R. Bartlett, T.R. Herrin, B. Staskun, and D.H. Rich, J. Am. Chem. Soc., 92, 4461 (1970).
6. The Synthesis of Three-Oxytocin Analogs Related to 1-Deaminopenicillamine-Oxytocin Possessing Anti-Oxytocic Activity. R.J. Vabrek, M.F. Ferger, G.A. Allen, D.H. Rich, A.T. Blomquist, and V. du Vigneaud, J. Med. Chem., 15, 213 (1972).
7. The Sequence and Optical Configuration of the Amino Acids in Tentoxin. M. Koncewicz, P. Mathiapparagam, T.F. Uchytel, L. Sparapano, J. Tam, D.H. Rich, and R.D. Durbin, Biochem. Biophys. Res. Comm., 53, 653 (1973).
8. Removal of Protected Peptides from an Ortho-Nitrobenzyl Resin by Photolysis. D.H. Rich and S.K. Gurwara, J. Chem. Soc. Chem. Commun., 610 (1973).
9. A General Synthesis of Didehydroamino Acids and Peptides. D.H. Rich, J. Tam, P. Mathiapparagam, J.A. Grant, and C. Mabuni, J. Chem. Soc. Chem. Commun., 897 (1974).
10. Synthesis of the Cyclic Tetrapeptide, Tentoxin. Effect of an N-Methyldehydrophenylalanyl Residue on the Conformation of Linear Peptides. D.H. Rich and P. Mathiapparagam, Tetrahedron Letts., 4037 (1974).

11. Toxin Production by Corynespora cassiicola. P. Onesirosan, C.T. Mabuni, R.D. Durbin, R.B. Morin, D.H. Rich, and D.C. Army, Physiological Plant Pathology, 5, 289-295 (1975).
12. Removal of C-Terminal Peptide Amides from a 3-Nitro-4-Aminomethylbenzoylamide Resin by Photolysis. D.H. Rich and S.K. Gurwara, Tetrahedron Letts., 301 (1975).
13. Synthesis of Didehydropeptides from Peptides Containing 3-Alkylthio-Amino Acid Residues. D.H. Rich and J.P. Tam, Tetrahedron Letts., 211 (1975).
14. Preparation of a New Ortho-Nitrobenzyl Resin for Solid Phase Synthesis of Boc-Protected Peptide Acids. D.H. Rich and S.K. Gurwara, J. Amer. Chem. Soc., 97, 1575 (1975).
15. Alkylating Derivatives of Amino Acids and Peptides. Synthesis of N-Maleoyl Amino Acids, 1-[N-Maleoylglycyl-Cysteiny]-Oxytocin and 1-[N-Maleoyl-11-Aminoundecanoyl-Cysteiny]-Oxytocin. Effects on Vasopressin Stimulated Water Loss from Isolated Toad Bladder. D.H. Rich, P.D. Gesellchen, A. Tong, A. Cheung, and C.K. Buckner, J. Medicinal Chem., 18, 1004 (1975).
16. Selective N-Methylation of Dehydroamino Acids and Peptides. D.H. Rich, J. Tam, P. Mathiapparanam, and J. Grant, Synthesis, 402 (1975).
17. Synthesis of Cyclic Tetrapeptides Related to Tentoxin. D.H. Rich, in "Chemistry, Structure and Biology," R. Walter and J. Meienhofer (Eds.), Ann Arbor Science Publishers, pp. 943-948 (1976).
18. Effects of Structure of Active Compounds on Biological Activity and Specificity. D.H. Rich, in "Specificity in Plant Diseases," A. Graniti and R.K.S. Wood (Eds.), Plenum Publishing Corp., New York, N.Y., pp. 169-184 (1976).
19. Chloroplast Coupling Factor 1: A Species Specific Receptor for Tentoxin. J.A. Steele, T.F. Uchytel, R.D. Durbin, P. Bhatnagar, and D.H. Rich, Proc. Nat'l. Acad. Sci., U.S.A., 73, 2245 (1976).
20. Vitamin K-Dependent Carboxylase: Development of a Peptide Substrate. J.W. Suttie, J.M. Hageman, S.R. Lehrman, and D.H. Rich, J. Biol. Chem., 251, 5827-5830 (1976).
21. Synthesis of Dideoxy-Pepstatin. Mechanism of Inhibition of Porcine Pepsin. D.H. Rich, E. Sun, and J. Singh, Biochem. Biophys. Res. Comm., 74, 762 (1977).
22. Synthesis of Dehydroamino Acids and Peptides by Dehydrosulfenylation. Rate Enhancement Using Sulfenic Acid Trapping Agents. D.H. Rich and J.P. Tam, J. Org. Chem., 42, 2815 (1977).
23. Kinetics of Inhibition of Pepsin by Pepstatin, Dideoxypepstatin, Acetyl Statin and Acetyl-Deoxystatin. D.H. Rich and E. Sun, in "Proceedings of the Fifth American Peptide Symposium," M. Goodman and J. Meienhofer (Eds.), Halsted Press, p. 209 (1977).

24. Conformational Analysis of Tentoxin and Related Cyclic Tetrapeptides. Isolation and Bioassay of Two Conformers of D-MeAla Tentoxin. D.H. Rich and P.K. Bhatnagar, in "Proceedings of the Fifth American Peptide Symposium," M. Goodman and J. Meienhofer (Eds.), Halsted Press, p. 341 (1977).
25. A Method for Introducing Secondary Amide Bonds into Strained Cyclic Peptides. D.H. Rich and J.P. Tam, Tetrahedron Letts., 749-750 (1977).
26. Synthesis of Tentoxin and Related Cyclic Tetrapeptides. D.H. Rich, P. Bhatnagar, P. Mathiaparanam, J.A. Grant, and J.P. Tam, J. Org. Chem., **43**, 296 (1978).
27. Tentoxin: An Uncompetitive Inhibitor of Lettuce Chloroplast Coupling Factor 1. J.A. Steele, R.D. Durbin, T.F. Uchytil, and D.H. Rich, Biochem. Biophys. Acta, **501**, 72 (1978).
28. Conformational Studies on Tentoxin by Nuclear Magnetic Resonance Spectroscopy. Evidence for a New Conformation for a Cyclic Tetrapeptide. D.H. Rich and P.K. Bhatnagar, J. Am. Chem. Soc., **100**, 2212 (1978).
29. Isolation and Conformational Analysis of Two Conformers of D-Methyl-alanine¹-Tentoxin. D.H. Rich and P.K. Bhatnagar, J. Am. Chem. Soc., **100**, 2218 (1978).
30. A Convenient Synthesis of the Amino Acid, 1-Amino-1-Cyclopropane-1-Carboxylic Acid. D.H. Rich and J.P. Tam, Synthesis, 46 (1978).
31. Two Conformations of the Cyclic Tetrapeptide, [D-MeAla¹]-Tentoxin Have Different Biological Activities. D.H. Rich, P.K. Bhatnagar, R.D. Jasensky, J.A. Steele, T.F. Uchytil, and R.D. Durbin, Bioorganic Chem., **7**, 207-214 (1978).
32. Synthesis of (3S,4S)-4-Amino-3-Hydroxy-6-Methylheptanoic Acid Derivatives. Analysis of Diastereomeric Purity. D.H. Rich, E.T. Sun, and A.S. Boparai, J. Org. Chem., **43**, 3625 (1978).
33. The Stimulation of Coupling Factor 1 ATPase by Tentoxin and Its Analogs. J.A. Steele, T.F. Uchytil, R.D. Durbin, P.K. Bhatnagar, and D.H. Rich, Biochem. Biophys. Res. Comm., **84**, 215-218 (1978).
34. Vitamin K-Dependent Carboxylase: Requirements for Carboxylation of Soluble Peptide Substrates and Substrate Specificity. J.W. Suttie, S.R. Lehrman, L.O. Gemeke, J.M. Hageman, and D.H. Rich, Biochem. Biophys. Res. Comm., **86**, 500-507 (1979).
35. The Carbodiimide Method. D.H. Rich and J. Singh, in "The Peptides," J. Meienhofer and E. Gross (Eds.), Academic Press, pp. 241-261 (1979).
36. Multiple Conformations of Sar¹-Tentoxin. Correlation of Conformation with Inhibition of CF₁-ATPase. D.H. Rich, P.K. Bhatnagar, and M.S. Bernatowicz, in "Peptides 1978, Proceedings of the XVth European Peptide Symposium," I.Z. Siemion and G. Kupryszewski (Eds.), Wroclaw Univ. Press, Wroclaw, Poland, pp. 349-352 (1979).
37. Synthesis of Cyclic Tetrapeptides Related to Chlamydocin. D.H. Rich and R.D. Jasensky, in "Peptides 1978, Proceedings of the XVth European Peptide Symposium,"

- I.Z. Siemion and G. Kupryszewski (Eds.), Wroclaw Univ. Press, Wroclaw, Poland, pp. 353-356 (1979).
38. Synthesis and Inhibition Kinetics of Pepstatin Analogs. Effect of Structure on Post-Binding Changes in the Enzyme-Inhibitor Complex. D.H. Rich and E.T. Sun, in "Peptides 1978, Proceedings of the XVth European Peptide Symposium," I.Z. Siemion and G. Kupryszewski (Eds.), Wroclaw Univ. Press, Wroclaw, Poland, pp. 345-347 (1979).
 39. Rat Liver Vitamin K-Dependent Carboxylase: Substrate Specificity. D.H. Rich, S.R. Lehrman, M. Kawai, H.L. Goodman, and J.W. Suttie, in "Vitamin K. Metabolism and Vitamin K-Dependent Proteins," J.W. Suttie (Ed.), University Park Press, pp. 471-479 (1980).
 40. Effect of Pyridoxal Phosphate on the Vitamin K-Dependent Carboxylase. J.W. Suttie, L.O. Geweke, J.L. Finnan, H.L. Goodman, S.R. Lehrman, and D.H. Rich, in "Vitamin K Metabolism and Vitamin K-Dependent Proteins," J.W. Suttie (Ed.), University Park Press, pp. 450-454 (1980).
 41. Stereoselective Hydrogenation of Dehydrophenylalanine in a Cyclic Tetrapeptide. Synthesis of Ala⁴-Chlamydocin. D.H. Rich and R.D. Jasensky, J. Amer. Chem. Soc., **101**, 5412 (1979).
 42. Synthesis and Conformational Analysis of Cyclic Tetrapeptides Related to Chlamydocin. Stereospecific Reduction of Dehydrophenylalanine to L-Phe. D.H. Rich and R.D. Jasensky, in "Peptides, Proceedings of the 6th American Peptide Symposium," E. Gross and J. Meienhofer (Eds.), Pierce Co., pp. 487-490 (1979).
 43. Synthesis of 2-Hydroxy-3-Amino Acids. Separation of Diastereomers at the Protected Peptide Stage. D.H. Rich, A.S. Boparai, S. Harbeson, and B.J. Moon, in "Peptides, Proceedings of the 6th American Peptide Symposium," E. Gross and J. Meienhofer (Eds.), Pierce Co., pp. 281-284 (1979).
 44. Observation of 3 → 1 Intramolecular Hydrogen Bonds in the Cyclic Tetrapeptides Ala⁴-Desdimethylchlamydocin and Cyclo(D-Phe-Pro)₂ by NMR Spectrometry. Effect of Solvent on Solution Conformation. D.H. Rich and R.D. Jasensky, J. Amer. Chem. Soc., **102**, 1112-1120 (1980).
 45. Synthesis of Analogs of the Carboxyl Protease Inhibitor Pepstatin. Effect of Structure on Inhibition of Pepsin and Renin. D.H. Rich, E.T.O. Sun, and E. Ulm, J. Med. Chem., **23**, 27-33 (1980).
 46. Mechanism of Inhibition of Pepsin by Pepstatin. Effect of Inhibitor Structure on Dissociation Constant and Time-Dependent Inhibition. D.H. Rich and E.T.O. Sun, Biochemical Pharmacology, **29**, 2205-2212 (1980).
 47. Synthesis of (2S,3S)-3-Amino-2-Hydroxy-5-Methylhexanoic Acid Derivatives. Application to the Synthesis of Amastatin, An Inhibitor of Aminopeptidases. D.H. Rich, B.J. Moon, and A.S. Boparai, J. Org. Chem., **45**, 2280-2290 (1980).

48. Chemical Synthesis of Phytotoxins. D.H. Rich, in "Toxins in Plant Disease," R.D. Durbin (Ed.), Academic Press, New York City, N.Y., pp. 295-330 (1981).
49. Recent Studies of the Biosynthesis of Vitamin K-Dependent Proteins. J.W. Suttie, A.E. Larson, J.J. McTigue, M. Kawai, and D.H. Rich, in "Calcium-Binding Proteins: Structure and Function," Siegel, Carofoli, Kretsinger, MacLennan, and Wasserman (Eds.), Elsevier North-Holland, NY, pp. 461-468 (1981).
50. Synthesis of Peptide Analogs of Prothrombin Precursor Sequence 5-9. Substrate Specificity of Vitamin K-Dependent Carboxylase. D.H. Rich, S.R. Lehrman, M. Kawai, H.L. Goodman, and J.W. Suttie, J. Med. Chem., 24, 706-711 (1981).
51. Synthesis of Two Analogs of A Cyclic Hexapeptide with Disulfide Bridge Corresponding to Bovine Prothrombin Precursor Sequence 18-23. Extent of Carboxylation by Vitamin K-Dependent Carboxylase. D.H. Rich, M. Kawai, H.L. Goodman, and J.W. Suttie, Int. Journ. Peptide and Protein Res., 18, 41-51 (1981).
52. Biologically Active Cyclic Tetrapeptides. Synthetic and Conformational Studies of Tentoxin and Chlamydocin. D.H. Rich, R.D. Jasensky, and J. Singh, in "The Proceedings Symposium on Neurohypophyseal Peptide Hormones and Other Biologically Active Peptides," D.H. Schlesinger (Ed.), Elsevier North-Holland, NY, pp. 49-61 (1981).
53. Analogs of the Cytostatic Cyclic Tetrapeptide, Chlamydocin. Synthesis of N^β-(N-Maleoylglycyl) and N^β-Tert-Butyloxycarbonyl Derivatives of cyclo [Gly-L-Phe-D-Pro-L-Dap]. D.H. Rich, R.D. Jasensky, G.C. Mueller, and K.E. Anderson, J. Med. Chem., 24, 567-572 (1981).
54. Inhibition of Pepsin by a Ketone Pepstatin Analog. Implications Regarding the Catalytic Mechanism. M.S. Bernatowicz, A.S. Boparai, and D.H. Rich, in "Peptides: Synthesis, Structure and Function," D.H. Rich and E. Gross (Eds.), Pierce Chem. Co., Rockford, IL, pp. 439-442 (1981).
55. Synthesis of a Naphthoquinone Tripeptide Which Inhibits Vitamin K-Dependent Carboxylase. S.R. Lehrman, D.H. Rich, H.L. Goodman, and J.W. Suttie, in "Peptides: Synthesis, Structure and Function," D.H. Rich and E. Gross (Eds.), Pierce Chem. Co., Rockford, IL, pp. 513-516 (1981).
56. Difference ¹H NMR Utilizing Deuterium Substitutions: Application to Studies of Binding of Pepstatin to Pepsin. P.G. Schmidt, M.S. Bernatowicz, and D.H. Rich, in "Peptides: Synthesis, Structure and Function," D.H. Rich and E. Gross (Eds.), Pierce Chem. Co., Rockford, IL, pp. 287-290 (1981).
57. Synthesis of a 3-Oxo-4(S)-Amino Acid Analog of Pepstatin. A New Inhibitor of Carboxyl (Acid) Proteases. D.H. Rich, A.S. Boparai, and M.S. Bernatowicz, Biochem. Biophys. Res. Comm., 104, 1127-1133 (1982).
58. Spin Labeled Pepstatin Binding to Pepsin. P.G. Schmidt, M.S. Bernatowicz, and D.H. Rich, Biochemistry, 21, 1830-1835 (1982).

59. Synthesis of Analogs of the Carboxyl Protease Inhibitor Pepstatin. Effect of Structure in Subsite P₃ on Inhibition of Pepsin. D.H. Rich and M.S. Bernatowicz, J. Med. Chem., **25**, 791-795 (1982).
60. Direct ¹³C NMR Evidence for a Tetrahedral Intermediate in The Binding of a Pepstatin Analog to Porcine Pepsin. D.H. Rich, M.S. Bernatowicz, and P.G. Schmidt, J. Am. Chem. Soc., **104**, 3535-3536 (1982).
61. Improved Synthesis of Ala⁴ Chlamydocin: Cyclization Studies of Tetrapeptides Containing Five -α-Substituents. J. Pastuszak, J.H. Gardner, J. Singh, and D.H. Rich, J. Org. Chem., **47**, 2982-2987 (1982).
62. Conformational Flexibility in the Active Sites of Aspartyl Proteinases Revealed by a Pepstatin Fragment Binding to Penicillopepsin. M.N.G. James, A. Sielecki, F. Salituro, D.H. Rich, and T. Hofmann, Proc. Nat'l. Acad. Sci. U.S.A., **79**, 6137-6142 (1982).
63. Pepstatin Binding to Pepsin. Enzyme Conformation Changes Monitored by Nuclear Magnetic Resonance. P.G. Schmidt, M.S. Bernatowicz, and D.H. Rich, Biochemistry, **21**, 6710-6716 (1982).
64. Conformational Studies of Cyclic Tetrapeptides: Evidence for a bis γ-turn Conformation for Chlamydocin and Ala⁴-Chlamydocin in Non-polar Solvents. D.H. Rich, M. Kawai, and R.D. Jasensky, Int. Journ. Peptide Protein Res., **21**, 35-42 (1983).
65. Synthesis of Protected 2-Amino-8-Oxo-9,10-Epoxydecanoic Acid from 2-Aminosuberic Acid Derivatives. D.H. Rich, J. Singh, and J.H. Gardner, J. Org. Chem., **48**, 432-434 (1983).
66. Vitamin K-Dependent Carboxylase: Synthesis of an Inhibitor of the Glutamyl Binding Site. D.H. Rich, M. Kawai, H.L. Goodman, J. Engelke, and J.W. Suttie, FEBS Letters, **152**, 79-82 (1983).
67. The Structure and Conformation of HC-Toxin. M. Kawai, D.H. Rich, and J. Walton, Biochem. Biophys. Res. Comm., **111**, 398-405 (1983).
68. Synthesis and Biological Properties of New Hexapeptide Substrates for Vitamin K Dependent Carboxylase. Evidence for Cis, Trans, X-Pro Interconversions in Prothrombin Precursor Fragment 18-23. D.H. Rich, M. Kawai, H.L. Goodman, and J.W. Suttie, J. Med. Chem., **26**, 910-916 (1983).
69. An Improved Cathepsin D Substrate and Assay Procedure. N. Agarwal and D.H. Rich, Anal. Biochem., **130**, 158-165 (1983).
70. Synthesis of Analogues of Pepstatin. Effect of Structure in Subsites P₁', P₂' and P₂ on Inhibition of Porcine Pepsin. D.H. Rich and F.G. Salituro, J. Med. Chem., **26**, 904-910 (1983).
71. Conformational Analysis of the Highly Substituted Cyclic Tetrapeptides, Chlamydocin and Ala⁴-Chlamydocin in Dimethyl Sulfoxide-d₆ by NMR Spectrometry. M. Kawai, R.D. Jasensky, and D.H. Rich, J. Amer. Chem. Soc., **105**, 4456-4462 (1983).

72. Oxidation of Statine-Containing Peptides to Ketone Analogues Via Novel Peptide Sulfonium Ylides. D.H. Rich and M.S. Bernatowicz, J. Org. Chem., **48**, 1999-2001 (1983).
73. Synthesis of Novel 3-Methyl Statine Analogues Assignment of Absolute Configuration. M. Kawai, A.S. Boparai, M.S. Bernatowicz, and D.H. Rich, J. Org. Chem., **48**, 1876-1879 (1983).
74. Synthesis of a Triprotected DL- β -Carboxyaspartic Acid (Asa) Derivative Suitable for the Synthesis of Asa-Containing Peptides. D.H. Rich and M.K. Dhaon, Tetrahedron Letts., **24**, 1671-1674 (1983).
75. Novel Renin Inhibitors Containing Amino Acid Statine. J. Boger, N.S. Lohr, E.H. Ulm, M. Poe, E.H. Blaine, G.M. Fanelli, T.-Y. Lin, L.S. Payne, T.W. Schorn, B.I. Lamont, T.C. Vassil, I.I. Stabilito, D.F. Veber, D.H. Rich, and A.S. Boparai, Nature, **303**, 81-84 (1983).
76. Conformational Studies of Statine and Its Derivatives by Nuclear Magnetic Resonance Spectrometry and by Energy Calculations. D.H. Rich, Y. Terada, and M. Kawai, Int. Journ. Peptide and Protein Res., **22**, 325-332 (1983).
77. Synthesis of 2-Amino-8-oxo-9,10-epoxy Decanoic Acid Derivatives. D.H. Rich, J. Singh, J.H. Gardner, and M. Kawai, in "Peptides: Structure and Mechanism," V.J. Hruby and D.H. Rich (Eds.), Pierce Chem. Co., pp. 139-142 (1983).
78. Design of Protease Inhibitors. D.H. Rich, F.G. Salituro, and M.W. Holladay, in "Peptides: Structure and Mechanism," V.J. Hruby and D.H. Rich (Eds.), Pierce Chem. Co., pp. 511-520 (1983).
79. Synthesis of Hydroxyethylene and Ketomethylene Dipeptide Isosteris. M.W. Holladay and D.H. Rich, Tetrahedron Letts., **24**(41), 4401-4404 (1983).
80. Synthesis of the Cytostatic Cyclic Tetrapeptide, Chlamydocin. D.H. Rich and J.H. Gardner, Tetrahedron Letts., **24**(48), 5305-5309 (1983).
81. Total Synthesis of the Cyclic Tetrapeptide, HC-Toxin. M. Kawai and D.H. Rich, Tetrahedron Letts., **24**(48), 5309-5312 (1983).
82. Vitamin K-Dependent Carboxylase: Carboxylation of Aspartyl Residues to β -Carboxyaspartyl Residues. J.J. McTigue, M. Dhaon, D.H. Rich, and J.W. Suttie, J. Biol. Chem., **259**, 4272-4278 (1984).
83. Inhibition of Aminopeptidases by Amastatin and Bestatin Derivatives. Effect of Inhibitor Structure on Slow Binding Processes. D.H. Rich, B.J. Moon, and S. Harbeson, J. Med. Chem., **27**, 417-422 (1984).
84. Design and Discovery of Aspartyl Protease Inhibitors. D.H. Rich, F.G. Salituro, M.W. Holladay, and P.G. Schmidt, in "Conformationally Directed Drug Design," J.A. Vida and M. Gordon (Eds.), Amer. Chem. Soc., pp. 211-237 (1984).

85. Derivatives of 2-Methyl-1,4-Naphthoquinone as Substrates and Inhibitors of the Vitamin K-Dependent Carboxylase. M.K. Dhaon, S.R. Lehrman, D.H. Rich, J.A. Engelkef, and J.W. Suttie, J. Med. Chem., **27**, 1196-1201 (1984).
86. Effect of Bestatin on In Vitro Responses of Murine Lymphocytes to T Cell Stimuli. B.E. Dunlap, S.A. Dunlap, and D.H. Rich, Scandinavian Jour. of Immunology, **20**, 237-245 (1984).
87. Inhibition of Aspartyl Proteases by Me³Sta Derivatives of Pepstatin. Evidence for Collected-Substrate Enzyme Inhibition. D.H. Rich, M.S. Bernatowicz, N.S. Agarwal, M. Kawai, F.G. Salituro, and P.D. Schmidt, Biochemistry, **24**, 3165-3173 (1985).
88. Identification of Oxygen Nucleophiles in Tetrahedral Intermediates. ²H and ¹⁸O Induced Isotope Shifts in ¹³C NMR Spectra of Pepsin-Bound Peptide Ketone Pseudosubstrates. P.G. Schmidt, M.W. Holladay, F.G. Salituro, and D.H. Rich, Biochem. Biophys. Res. Comm., **129**, 597-602 (1985).
89. Pepsin-Catalyzed Addition of Water to a Ketomethylene Peptide Isostere. Observation of the Tetrahedral Species by ¹³C NMR. M.W. Holladay, F.G. Salituro, P.G. Schmidt, and D.H. Rich, Biochemical Soc. Trans., **13**, 1046-1048 (1985).
90. Pepstatin-Derived Inhibitors of Aspartic Proteinases, A Close Look at an Apparent Transition-State Analogue Inhibitor. D.H. Rich, J. Med. Chem., **28**, 263-273 (1985).
91. The Solution Structure of [Ala⁴]-Desdimethylchlamydocin: A ¹H NMR Relaxation Study. P. Mascagni, W.A. Gibbons, D.H. Rich, and N. Niccolai, J. Chem. Soc. Perkin. Trans. I 245-250 (1985).
92. Renin Inhibitors Synthesis of Sub-Nanomolar Competitive Transition-State Analog Inhibitors Containing a Novel Analog of Statine. J. Boger, L.S. Payne, D.S. Perlow, N.S. Lohr, M. Poe, E.H. Blaine, E.H. Ulm, T.W. Schorn, B.I. Lamont, T.-Y. Lin, M. Kawai, D.H. Rich, and D.F. Veber, J. Med. Chem., **28**, 1779-1790 (1985).
93. Bis-(2-oxo-3-oxazolidinyl)-phosphinic Chloride as a Coupling Reagent for N-Alkyl Amino Acids. R.D. Tung and D.H. Rich, J. Amer. Chem. Soc., **107**, 4342 (1985).
94. Application of the Coupling Reagent Bis-(2-oxo-3-oxazolidinyl) Phosphinic Chloride: Synthesis of Fmoc-D-Ala-MeLeu-MeLeu-MeVal-O^tBu. R.D. Tung and D.H. Rich, in "Peptides: Structure and Function," C. Deber, V.J. Hruby, and K.D. Kopple (Eds.), Pierce Chem. Co., Rockford, IL, pp. 217-220 (1985).
95. Solid Phase Peptide Synthesis of the 1-9 Prothrombin Precursor Sequence. G. Benz, R. Pottorf, and D.H. Rich, in "Peptides: Structure and Function," C. Deber, V.J. Hruby, and K.D. Kopple (Eds.), Pierce Chem. Co., Rockford, IL, pp. 245-248 (1985).
96. Pepsinogen Activation: Genesis of the Binding Site. D.M. Glick, H.E. Awer, D.H. Rich, M. Kawai, and A. Kamath, Biochem., **25**, 1858-1864 (1986).
97. Stereoselective Synthesis and Absolute Configuration of Epoxyketones in Chlamydocin and Related Cyclic Tetrapeptides. M. Kawai, J.H. Gardner, and D.H. Rich, Tetrahedron Letts., 1877-1880 (1986).

98. Synthesis and Antimitogenic Activities of Four Analogues of Cyclosporine Modified in the 1-position. D.H. Rich, M.K. Dhaon, B. Dunlap, and S.P.F. Miller, J. Med. Chem., **29**, 978-984 (1986).
99. A New Form of Affinity Chromatography for Cysteine Proteinases Illustrated by the Purification of Cathepsin B. D.H. Rich, A.J. Barrett, and M. Brown, Biochem. J., **235**, 731-734 (1986).
100. BOP-Cl Medicated Synthesis of the Cyclosporine A 8-11 Tetrapeptide Fragment. R.D. Tung, M.K. Dhaon, and D.H. Rich, J. Org. Chem., **51**, 3350-3354 (1986).
101. Low Molecular Weight Inhibitors of Aspartic Proteinases. D.H. Rich, in "Proteinase Inhibitors," A.J. Barrett and G. Salveson (Eds.), Elsevier Science, pp. 179-217 (1986).
102. Inhibitors of Cysteine Proteinases. D.H. Rich, in "Proteinase Inhibitors," A.J. Barrett and G. Salveson (Eds.), Elsevier Science, pp. 153-178 (1986).
103. Structure and Conformation of the Cytostatic Cyclic Tetrapeptide WF-3161. M. Kawai, R.S. Pottorf, and D.H. Rich, J. Med. Chem., **29**, 2409 (1986).
104. Inhibition of Cathepsin D by Substrate Analogues Containing Statine and by Analogues of Pepstatin. N.S. Agarwal and D.H. Rich, J. Med. Chem., **29**, 2519 (1986).
105. Synthetic Studies of Vitamin K-Dependent Carboxylase: Bovine Prothrombin Precursor 13-29. R.S. Pottorf, D.H. Rich, J. Engelke, and J.W. Suttie, J. Med. Chem., **30**, 445 (1987).
106. Inhibition of Aspartic Proteinases by Lysine and Ornithine Side-Chain Analogs of Statine. F.G. Salituro, N. Agarwal, T. Hofmann, and D.H. Rich, J. Med. Chem., **30**, 286 (1987).
107. 1-((2-(Trimethylsilyl)ethoxycarbonyl)oxy)benzotriazole: A Novel Reagent for the Introduction of the 2-(Trimethylsilyl)ethoxycarbonyl (Teoc)-Protecting Group. R.E. Shute and D.H. Rich, Synthesis, 346 (1987).
108. Analogues of the Cytostatic Agents Chlamydocin and HC-Toxin: Synthesis and Biological Activity of Chloromethylketone- and Diazomethylketone Functionalized Cyclic Tetrapeptides. R.E. Shute, B. Dunlap, and D.H. Rich, J. Med. Chem., **30**, 71 (1987).
109. Synthesis and Biological Activities of Hydroxyethylene and Ketomethylene Dipeptide Isostere Analogues of Pepstatin. M.W. Holladay, F.G. Salituro, and D.H. Rich, J. Med. Chem., **30**, 374 (1987).
110. Total Synthesis of the Unusual Cyclosporine Amino Acid MeBmt. R.D. Tung and D.H. Rich, Tetrahed. Letts., **28**, 1139-1142 (1987).
111. A Short Synthesis of Enantiomerically Pure (2S,3R,4R,6E)-3-hydroxy-4-methyl-2-(methylamino)-6-octanoic Acid, the Unusual C-9 Amino Acid Found in the

- Immunosuppressive Peptide Cyclosporine. J.D. Aebi, M.K. Dhaon, and D.H. Rich, J. Org. Chem., **52**, 2881-2886 (1987).
112. L-Lysine Thiol: A Subnanomolar Inhibitor of Aminopeptidase B. T.D. Ocain and D.H. Rich. Biochem. Biophys. Res. Comm., **145**, 1038-1042 (1987).
113. A Novel Double Deprotection-Peptide Cyclization Procedure and its Application to the Synthesis of Analogues of the Cyclic Tetrapeptide HC-toxin. R.E. Shute and D.H. Rich, Tetrahedron Letts., **28**, 3419-3423 (1987).
114. Prevention of Diketopiperazine Formation in Peptide Synthesis by a Simultaneous Deprotection/Coupling Procedure: Entrapment of Reactive Nucleophilic Species by in situ Acylation. R.E. Shute and D.H. Rich, J.C.S. Chem. Commun., 1155 (1987).
115. Asymmetric Syntheses of β -OH and β -OH, γ -Alkyl- α -Amino Acids: Analogs of the Unusual Cyclosporine Amino Acid MeBmt. R.D. Tung, C-Q. Sun, D. Deyo, and D.H. Rich, in "Proceedings of 10th American Peptide Symposium," 149 (1987).
116. Direct ^{13}C -NMR Observation of a Tetrahedral Species in the Binding of a Peptidyl Ketone Pseudosubstrate to Penicillopepsin, a Fungal Aspartic Proteinase. J. Maibaum, M.K. Dhaon, P.G. Schmidt, M. Oka, and D.H. Rich, in "Proceedings of 10th American Peptide Symposium," 338 (1987).
117. A Facile Synthesis of Statine and Analogs by Reduction of β -Keto Esters Derived from Boc-protected Amino Acids. HPLC Analysis of Their Enantiomeric Purity. J. Maibaum and D.H. Rich, J.O.C., 869-873 (1988).
118. Inhibition of Porcine Pepsin by two Substrate Analogs Containing Statine. The Effect of Histidine at the P_2 Subsite on the Inhibition of Aspartic Proteinases. J. Maibaum and D.H. Rich, J. Med. Chem., **31**, 625-629 (1988).
119. Regiospecific Synthesis of [^{13}C -2]-(2S, 3S)-trans-epoxysuccinyl-L-leucyl-isoamylamide. Y. Yabe and D.H. Rich, in Peptides: Chemistry and Biology, G.R. Marshall (Ed.), Escom Science Publ., Leiden, pp. 289-291 (1987).
120. Irreversible Inhibition of Papain by Epoxysuccinyl Peptides. ^{13}C NMR Characterization of the Site of Alkylation. Y. Yabe, D. Guillaume, and D.H. Rich, J. Amer. Chem. Soc., **110**, 4043 (1988).
121. Conformationally Constrained Biologically Active Peptides: Tentative Identification of the Antimitogenic Bioactive Conformer of the Naturally Occurring Cyclic Tetrapeptides. R.E. Shute, M. Kawai, and D.H. Rich, Tetrahedron, **44**, 685-695 (1988).
122. Preparative-Scale, Facile Synthesis of (2R,4E)-2-Methyl-4-hexenal: A Key Intermediate of MeBmt. D.T. Deyo, J.D. Aebi, and D.H. Rich, Synthesis, 608-610 (1988).
123. Synthesis, Conformation and Immunosuppressive Activity of a Conformationally Restricted Cyclosporine Lactam Analog. J. Aebi, D. Guillaume, B. Dunlap, and D.H. Rich, J. Med. Chem., **31**, 1805-1815 (1988).

124. Synthesis of Sulfur-Containing Analogs of Bestatin. Inhibition of Aminopeptidases by α -thiol Bestatin Analogs. T.D. Ocain and D.H. Rich, J. Med. Chem., **31**, 2193 (1988).
125. Inhibition of Aminopeptidase B by Bestatin and Arphamenine Analogs. Evidence for a New Mode of Binding to Aminopeptidases. S.L. Harbeson and D.H. Rich, Biochemistry, **27**, 7301-7310 (1988).
126. Asymmetric Synthesis of Threo β -hydroxy- α -N-methyl Amino Acids and MeBmt Analogs via Epoxides. C.-Q. Sun and D.H. Rich, Tetrahed. Letts., **21**, 5205-5208 (1988).
127. Synthesis and Biological Properties of a High Specific Activity, Radioiodinated, Photolabile Cyclosporine. R. Tung, B. Dunlap, W. Mellon, A.E. Ruoho, N. Dhanasekaren, and D.H. Rich, in "Synthetic Peptides: Approaches to Biological Problems," J. Tam and E.T. Kaiser (Eds.), UCLA Symposium on Molecular and Cellular Biology, New Series, Vol. 86, Alan R. Liss, Inc., New York, NY, pp. 321-335 (1989).
128. The Dependence of Enzyme Inhibition on the Distribution of Enzyme Forms. Implications for Substrate and Inhibitor Structure-Activity Correlations. D.H. Rich and D.B. Northrop, in "Computer Aided Drug Design," T.L. Perun and C.L. Probst (Eds.), Marcel Dekker, Inc., pp. 185-250 (1989).
129. Conformational Analysis of Cyclic Tetrapeptides by Molecular Mechanics Calculations. Y. Terada, M. Kawai, and D.H. Rich, Int. Journ. Pept. Protein Res., **33**, 3-10 (1989).
130. Inhibition of Aminopeptidases by Peptides Containing Ketomethylene and Hydroxyethylene Amide Bond Replacements. S.L. Harbeson and D.H. Rich, J. Med. Chem., **32**, 1378-1392 (1989).
131. Synthesis of the Novel π -Bom Protected Histidine Analog of Statine. Inhibition of Penicillopepsin by Pepstatin-Derived Peptides Containing Different Statine Side-Chain Derivatives. J. Maibaum and D.H. Rich, J. Med. Chem., **32**, 1571-1576 (1989).
132. Synthesis, Biological Activity and Conformational Analysis of (2S,3R,4S)-MeBmt¹-Cyclosporin, A Novel 1-position Epimer of Cyclosporin A. D.H. Rich, C.Q. Sun, D. Guillaume, B. Dunlap, D.A. Evans, and A.E. Weber, J. Med. Chem., **32**, 1982 (1989).
133. Affinity Purification of the Novel Cysteine Proteinase Papaya Proteinase IV, and Papain From Papaya Latex. D.J. Buttle, A.A. Kembhavi, S.L. Sharp, R.E. Shute, D.H. Rich, and A.J. Barrett, Biochem. J., **261**, 469-476 (1989).
134. Peptidase Inhibitors, in "Comprehensive Medicinal Chemistry. The Rational Design, Mechanistic Study and Therapeutic Application of Chemical Compounds," C. Hansch, P.G. Sammes, and J.B. Taylor (Eds.), Pergamon Press, pp. 391-441 (1989).
135. Molecular Mechanics Calculations of Cyclosporin A Analogues. Effect of Chirality and Degree of Substitution on the Side Chain Conformations of MeBmt¹ and Related Derivatives. K.E. Miller and D.H. Rich, J. Amer. Chem. Soc., **111**, 8351 (1989).
136. Benzophenone Analogs of Pepstatin A and Cyclosporine A as Potential Photoaffinity Labeling Reagents. P. Kuzmic, C.-Q. Sun, and D.H. Rich, in "Peptides: Proceedings of

The Eleventh American Peptide Symposium,” J.E. Rivier and G.R. Marshall (Eds.), Escom, Leiden, pp. 129-131, (1990).

137. Synthesis of a 1-Position Analog of Cyclosporin With Selective Biological Activities. D.H. Rich, C.-Q. Sun, K.J. Plzak, J.D. Aebi, B.E. Dunlap, P.L. Durette, F. Dumont, and M.J. Staruch, *ibid.*, J.E. Rivier and G.R. Marshall (Eds.), Escom, Leiden, pp. 49-52 (1990).
138. Synthesis of [4-¹³C][2,3-²H₂](3R)-N-(Butyloxycarbonyl)-L-Valine *via* Regioselective Opening of a Chiral Epoxide. J.P. Meara and D.H. Rich, *ibid.*, J.E. Rivier and G.R. Marshall (Eds.), Escom, Leiden, 941-943 (1990).
139. Inhibitors of HIV Protease Based on Modified Peptide Substrates. M.V. Toth, F. Chiu, G. Glover, S.B.H. Kent, L. Ratner, N. Vander Hayden, J. Green, D.H. Rich, and G.R. Marshall, *ibid.*, J.E. Rivier and G.R. Marshall (Eds.), Escom, Leiden, 835-838 (1990).
140. Synthesis and Properties of 3 Analogues of Cyclosporin A Modified in the 1-Position. J.D. Aebi, D.T. Deyo, D. Guillaume, and D.H. Rich, *J. Med. Chem.* **33**, 999-1009 (1990).
141. Synthesis, Conformation and Immunosuppressive Activity of Cyclosporines Containing δ -Oxygen MeBmt Analogs in the 1-Position. C.-Q. Sun, D. Guillaume, B. Dunlap, and D.H. Rich, *J. Med. Chem.* **33**, 1443-1452 (1990).
142. Synthesis of D-lysine⁸-Cyclosporine A Employing BOP-Cl in the 2-7 Hexapeptide Fragment Synthesis. W.J. Colucci, R.D. Tung, J.A. Petri, and D.H. Rich, *J. Org. Chem.* **55**, 2895-2903 (1990).
143. Synthesis and Immunosuppressive Activities of Conformationally Restricted Cyclosporin Lactam Analogs. J.P. Lee, B. Dunlap, and D.H. Rich, *Int. Jour. Pept. Protein Res.*, **35**, 481-494 (1990).
144. Hydroxyethylamine Analogues of the p17/p24 Substrate Cleavage Site are Tight-binding Inhibitors of HIV Protease. D.H. Rich, J. Green, M.V. Toth, G.R. Marshall, and S.B.H. Kent, *J. Med. Chem.*, **33**, 1285-1288 (1990).
145. Addition of Allylic Metals to α -Aminoaldehydes Application to the Synthesis of Statine, Ketomethylene and Hydroxyethylene Isostere Dipeptides. *Tetrahedron Letts.* **31**, 1803-1806 (1990).
146. X-Ray Analysis of HIV-1 Protease and Its Complexes with Inhibitors. M. Miller, A.L. Swain, M. Jaskolski, B.K. Sathyanarayana, G.R. Marshall, D.H. Rich, S.B.H. Kent, and A. Wlodawer, in “Retroviral Proteases: Control of Maturation and Morphogenesis,” L. Pearl (Ed.), MacMillan Press, pp. 93-107 (1990).
147. Isotope-edited NMR Studies Show Cyclosporin A has a *Trans* 9,10-Amide Bond When Bound to Cyclophilin. S.W. Fesik, R.T. Gampe, Jr., T.F. Holzman, D.A. Egan, R. Edalji, J.R. Luly, R. Simmer, R. Helfrich, V. Kishore, and D.H. Rich, *Science*, **250**, 1406-1409 (1990).
148. X-ray Crystallographic Structure of a Complex Between Synthetic HIV-1 Protease and a Substrate-Based Hydroxyethylamine Inhibitor. A.L. Swain, M.M. Miller, J. Green, D.H.

- Rich, J. Schneider, S.B.H. Kent, and A. Wlodawer, Proc. Natl. Acad. Sci. USA, **87**, 8805-8809 (1990).
149. Approaches to the Bioactive Conformation of Cyclosporin. K.E. Miller and D.H. Rich, in "Peptides, Peptoids and Proteins," P.D. Garzone, W.A. Colburn, and M. Mokotoff (Eds.), Harvey Whitney Books, Cincinnati, OH, pp. 22-39 (1991).
150. Is Cyclophilin Involved in the Immunosuppressive and Nephrotoxic Mechanism of Action of Cyclosporin A? N.H. Sigal, P.L. Durette, J.J. Siekierka, L. Peterson, D.H. Rich, B.E. Dunlap, M.J. Staruch, M.R. Melino, S.L. Koprak, D. Williams, B. Witzel, J. Pisano, and F. Dumont, Journ. of Experimental Medicine, **173**, 619-628 (1991).
151. Long Range Electrostatic Effects in Pepsin Catalysis. P. Kuzmic, C.-Q. Sun, Z.-C. Zhao, and D.H. Rich, Tetrahedron, **47**, 2519-2534 (1991).
152. Effect of Hydroxyl Group Configuration in Hydroxyethylamine Dipeptide Isosteres on HIV Protease Inhibition. Evidence for Multiple Binding Modes. D.H. Rich, C.-Q. Sun, J.V.N. Vara Prasad, A. Pathiasseril, M.V. Toth, G.R. Marshall, M. Clare, R.A. Mueller, and K. Houseman, J. Med. Chem., **34**, 1222-1225 (1991).
153. Determination of Kinetic Constants for Peptidyl-Prolyl cis-trans Isomerases by an Improved Spectrophotometric Assay. J.L. Kofron, P. Kuzmic, V. Kishore, E. Colon-Bonilla, and D.H. Rich, Biochemistry, **30**, 6127-6134 (1991).
154. Synthesis of Hydroxyethylene Dipeptide Isosteres That Mimic a Cyclic Amino Acid at the P₁' Site. J.V.N. Vara Prasad and D.H. Rich, Tetrahedron Letts., 5857-5860 (1991).
155. Nonspecific Electrostatic Binding of Substrates and Inhibitors to Porcine Pepsin. P. Kuzmic, C.-Q. Sun, Z.-C. Zhao, and D.H. Rich, in "Structure and Function of the Aspartic Proteinases," B.M. Dunn (Ed.), pp. 75-87 (1991).
156. α -Keto Amide Inhibitors of Aminopeptidases. T.D. Ocain and D.H. Rich, J. Med. Chem., 451-456 (1992).
157. Synthesis of a Novel Polyurethane Copolymer Containing Covalently Attached RGD Peptide. H.-B. Lin, Z.-C. Zhao, C. García-Echeverría, D.H. Rich, and S.L. Cooper, J. Biomaterials Sci., Polymer Ed., **3**, 217-227 (1992).
158. Mathematical Models for the Kinetics of Peptidyl Prolyl Cis-Trans Isomerases. P. Kuzmic, J.L. Kofron, V. Kishore, and D.H. Rich, in "Peptides: Chemistry and Biology," J.A. Smith and J.E. Rivier (Eds.), Escom Press, pp. 470-471 (1992).
159. Design and Synthesis of Hydroxyethylene Isostere Peptides for HIV Protease Inhibition. Structure-Activity Relationships of Various Inhibitors Varying at P₃, P₃'. J.V.N. Vara Prasad, C.-Q. Sun, K. Houseman, R. Mueller, and D.H. Rich, ibid., 721-722 (1992).
160. Cis-Trans Isomerization of the 9-10 Bond in CsA is Partially Responsible for Time-Dependent Inhibition of Cyclophilin by CsA. J.L. Kofron, P. Kuzmic, V. Kishore, S.W. Fesik, and D.H. Rich, ibid., 785-787 (1992).

161. Synthesis of 5-Fluoroproline Derivatives. J.R. Kagel, J.L. Kofron, and D.H. Rich, in "Peptides: Chemistry and Biology, Proc. of the 12th American Peptide Symposium," J. Smith and J.E. Rivier, (Eds.), Escom Press, pp. 818-819 (1992).
162. New Intramolecularly Quenched Fluorogenic Peptide Substrates for the Study of the Kinetic Specificity of Papain. C. García-Echeverría and D.H. Rich, FEBS Letts., 297, 100-102 (1992).
163. Lithium Chloride Perturbation of Cis/Trans Peptide Bond Equilibria: Effect of Conformational Equilibria in Cyclosporin A and on the Time-Dependent Inhibition of Cyclophilin. J.L. Kofron, P. Kuzmic, V. Kishore, G. Gemmecker, S.W. Fesik, and D.H. Rich, J. Amer. Chem. Soc., 114, 2670-2675 (1992).
164. A Continuous Fluorimetric Direct (Uncoupled) Assay for Peptidyl Prolyl Cis-Trans Isomerases. C. García-Echeverría, J.L. Kofron, P. Kuzmic, V. Kishore, and D.H. Rich, J. Amer. Chem. Soc., 114, 2758-2759 (1992).
165. Molecular Cloning and Expression of Human Alveolar Macrophage Cathepsin S, an Elastinolytic Cysteine Protease. G.-P. Shi, J.S. Munger, J.P. Meara, D.H. Rich, and H.A. Chapman, J. Biol. Chem., 267, 7258-7262 (1992).
166. Fluorescence Displacement Method for the Determination of Receptor-Ligand Binding Constants. P. Kuzmic, M.L. Moss, J.L. Kofron, and D.H. Rich, Analytical Biochem., 205, 65-69 (1992).
167. Effect of P₂' Substituents on Kinetic Constants for Hydrolysis By Cysteine Proteinases. C. García-Echeverría and D.H. Rich, Biochem. Biophys. Res. Commun., 187, 615-619 (1992).
168. Synthesis and Biological Activity of New Conformationally Restricted Analogues of Pepstatin. Z. Szewczuk, K. Rebholz, and D.H. Rich, Int. Journ. Pept. Protein Res., 40, 233-242 (1992).
169. Identification of a Novel Family of Cyclosporin A Binding Proteins. M.L. Moss, R.E. Palmer, P. Kuzmic, B.E. Dunlap, W. Henzel, J.L. Kofron, W.S. Mellon, C.A. Royer, and D.H. Rich, J. Biol. Chem., 267, 22054-22059 (1992).
170. New Hydroxyethylamine HIV Protease Inhibitors That Suppress Viral Replication. D.H. Rich, J.V.N. Vara Prasad, C.Q. Sun, J. Green, R. Mueller, K. Houseman, D. MacKenzie, and M. Malkovsky, J. Med. Chem., 35, 3803-3812 (1992).
171. Peptidomimetics Derived from Natural Products. R.A. Wiley and D.H. Rich, Med. Research Reviews, 13, 327-384 (1993).
172. Immunosuppressive Activity of [MeBm₂t]¹-, D-Dab⁸-, and D-Dap⁸-Cyclosporin Analogues Correlates with Inhibition of Calcineurin Phosphatase Activity. P.A. Nelson, Y. Akselbond, A. Kawamura, M. Su, R.D. Tung, D.H. Rich, V. Kishore, S.J. Rosborough, M.T. DeCenzo, D.J. Livingston, and M.W. Harding, J. Immunology, 150, 2139-2147 (1993).

173. Effect of Hydrophobic Collapse on Enzyme Inhibitor Interactions. Implications for the Design of Peptidomimetics. D.H. Rich, in "Medicinal Chemistry 1992 - Proceedings of the XIIth International Symposium on Medicinal Chemistry," B. Testa, E. Kyburz, W. Fuhrer, and R. Giger. Verlag (Eds.) Helvetica Chimica Acta (Basel), 15-25 (1993).
174. Synthesis of Hydroxyethyl Sulfide Isostere Peptides for HIV Protease Inhibition. Structure-Activity Relationships of Inhibitors. J.V.N. Vara Prasad, K. Houseman, R. Mueller, and D.H. Rich, in "Peptides. Proceedings of 22nd European Peptide Symposium," C.H. Schneider and A.N. Eberle (Eds.), pp. 629-630 (1993).
175. Intramolecularly Quenched Fluorescent Peptide Substrates of Peptidyl Prolyl Cis-Trans Isomerases. The First Direct Fluorimetric Assay for PPIases. C. García-Echeverría, J.L. Kofron, P. Kuzmic, V. Kishore and D.H. Rich, in "Peptides. Proceedings of 22nd European Peptide Symposium," C.H. Schneider and A.N. Eberle (Eds.), pp. 479-480 (1993).
176. Fluorescent Oligopeptide Substrates for Papain. Effect of Prime Substituents on Kinetic Constants. C. García-Echeverría, Z.-C. Zhao, and D.H. Rich, in "Peptides. Proceedings of 22nd European Peptide Symposium," C. H. Schneider and A. N. Eberle (Eds.), pp. 475-476 (1993).
177. Conformationally Restricted Pepstatin Analogs as New Potent Inhibitors of Porcine Pepsin and Penicillopepsin. Z. Szewczuk, K. Rebholz, and D.H. Rich, in "Peptides. Proceedings of 22nd European Peptide Symposium," C. H. Schneider and A. N. Eberle (Eds.), pp. 593-594 (1993).
178. Synthesis and Fluorescent Properties of a Substrate for a Continuous Fluorimetric Assay for Protein Tyrosine Phosphatases. C. García-Echeverría, and Daniel H. Rich, Bio-organic and Medicinal Chemistry Letters, 3, 1601-1604 (1993).
179. Stabilization of HIV Proteinase Dimer by Bound Substrate. P. Kuzmic, C. García-Echeverría, D.H. Rich, Biochem. Biophys. Res. Comm., 194, 301-305 (1993).
180. Synthesis of E- and Z-Alkene Dipeptide Isosteres. A.C. Bohnstedt, J.V.N. Vara Prasad and D.H. Rich, Tetrahedron Letts., 5217-5220 (1993).
181. Diastereoselective Epoxidation of Dipeptide Olefins. S. Romeo and D.H. Rich, Tetrahedron Letts., 7187-7190 (1993).
182. Kinetics of Acid Catalyzed Degradation of Cyclosporin A and its Analogs in Aqueous Solution. R. Oliyai, M. Safadi, P.G. Meier, M. Kuan Hu, D.H. Rich, and V.J. Stella, Int. J. Peptide Protein Res., 43, 239-247 (1993).
183. Solution Conformations of the Cyclic Cys-Cys Disulfide Structural Motif. C. García-Echeverría and D.H. Rich, in "Peptides: Chemistry and Biology (Proceedings of the Thirteenth American Peptide Symposium)," R.S. Hodges and J.A. Smith (Eds.), ESCOM, 782-784 (1994).
184. Bestatin-derived Analogs Inhibit *E. coli* Methionine Aminopeptidase. S. Lim and D.H. Rich, in "Peptides: Chemistry and Biology (Proceedings of the Thirteenth American Peptide Symposium)," R.S. Hodges and J.A. Smith (Eds.), ESCOM, 625-627 (1994).

185. Stereoselective Synthesis of Protected Aminoalkyl Epoxides. S. Romeo and D.H. Rich, Tetrahedron Letts., **35**, 4939-4942 (1994).
186. Comparative Studies on the Coupling of N-Methylated, Sterically Hindered Amino Acids by Solid-Phase Peptide Synthesis. Y.M. Angell, C. García-Echeverría, and D.H. Rich, Tetrahedron Letts., **35**, 5981-5984 (1994).
187. Increase in Fluorescence upon the Hydrolysis of Tyrosine Peptides: Application to Proteinase Assays. A.G. Peranteau, P. Kuzmic, Y. Angell, and D.H. Rich, Analytical Biochem., **227**, 242-245(1995).
188. Inhibition of HIV-1 Replication by Nonimmunosuppressive Analogs of Cyclosporin A. S.R. Bartz, E. Hohenwalter, M.-K. Hu, D.H. Rich, and M. Malkovsky, Proc. Natl Acad Sci. USA, **92**, 5381-5385 (1995).
189. Novel, $ki \sim$ Nanomolar Inhibitors of Serine Proteases Selected by Binding or Epitaxial Chemistry on an Enzyme Surface. B.A. Katz, J. Finer-Moore, R. Mortezaei, D.H. Rich, and R.M. Stroud, Biochemistry, **34**, 8264-8280 (1995).
190. Solid Phase Synthesis of Cyclosporin Peptides. Y. M. Angell, T.L. Thomas, G. R. Flentke, and D.H. Rich, J. Amer. Chem. Soc., **117**, 7279-7280 (1995).
191. Synthesis of $N\alpha N\beta$ -alkylated Diaminopropionic Acid Analogs. M.E. Solomon, C.L. Lynch, and D.H. Rich, Tetrahedron Letts., **36**, 4955-4958 (1995).
192. Cyclosporin Analogues Modified in the 3,7,8-Positions. Substituent Effects on PPIase Inhibition and Immunosuppressive Activity are Non-Additive. M-K. Hu, A. Badger, and D.H. Rich, J. Med. Chem., **38**, 4164-4170 (1995).
193. Synthesis of Peptidyl Ruthenium p-Arene Complexes: Application to the Synthesis of Cyclic Biphenyl Ether Peptides. J.W. Janetka and D.H. Rich, J. Amer. Chem. Soc., **117**, 10585-10586 (1995).
194. Measurement of Individual Rate Constants of Irreversible Inhibition of a Cysteine Proteinase by an Epoxysuccinyl Inhibitor. J.P. Meara and D.H. Rich, Bioorganic and Medicinal Letters, **5**, 2277-2282 (1995).
195. Kinetic Studies of Papain: Effect of P3' Substituents And Donor/Acceptor Pairs Of Intramolecularly Quenched Fluorogenic Substrates. C. García-Echeverría and D.H. Rich, Letter in Peptide Sci., **2**, 77-82 (1995).
196. Efficient Synthesis of Tosyl-Aziridine-2-T-Butyl Carboxylate. M.E. Solomon, C.L. Lynch, and D.H. Rich, Synthetic Commun., **26**, 2723-2729 (1996).
197. Stereochemical Aspects of Drug Action I: Conformational Restriction Steric Hindrance and Hydrophobic Collapse. P.A. Hart and D.H. Rich, in "The Practice of Medicinal Chemistry," C. Wermuth (Ed.), Acad. Press, pp. 393-412 (1996).

198. Combinatorial Design and Combinatorial Synthesis of Enzyme Inhibitors. D.H. Rich, R.S. Bohacek, N.A. Dales, P. Glunz, and A.S. Ripka, in "Actualités de chimie Thérapeutique-22^e série," Elsevier, pp. 101-111 (1996).
199. A Cyclic Sidechain Linked Biphenyl Ether Tripeptide. K.A. Satyshur, J.A. Janetka, and D.H. Rich, Acta Cryst., C52, 3112-3114 (1996).
200. Mechanistic Studies on the Inactivation of Papain by Epoxysuccinyl Inhibitors. J.P. Meara and D.H. Rich, J. Med. Chem., 39, 3357-3366 (1996).
201. Synthesis of Cyclosporin Peptides by Combined use of Solid-phase and Solution Phase Methods. Y.M. Angell, T.L. Thomas, and D.H. Rich, in "Peptides: Chemistry, Structure and Biology," P. T. P. Kaumaya and R. S. Hodges (Eds.), Mayflower Scientific Ltd., pp. 88-89 (1996).
202. Inhibition of HIV-1 Replication by Nonimmunosuppressive Analogs of Cyclosporin A. D.H. Rich, M-K. Hu, S.R. Bartz, E. Hohenwarter, and M. Malkovsky, in "Peptides: Chemistry, Structure and Biology," P.T.P. Kaumaya and R.S. Hodges (Eds.), Mayflower Scientific Ltd., pp. 328-330 (1996).
203. Differential Sensitivity of Cyclosporin A Amide Bonds for Inhibition of Cyclophilin. A.C. Bohnstedt, G.R. Flentke, and D.H. Rich, in "Peptides: Chemistry, Structure and Biology," P.T.P. Kaumaya and R.S. Hodges (Eds.), Mayflower Scientific Ltd., pp. 705-706 (1996).
204. Evaluation of GrowMol. I. A Novel Structure Generation Program: Generation of Known Pepsin Inhibitors and Identification of Novel Potential Inhibitors. A.S. Ripka, R.S. Bohacek, and D.H. Rich, in "Peptides: Chemistry, Structure and Biology," P.T.P. Kaumaya and R.S. Hodges (Eds.), Mayflower Scientific Ltd., pp. 583-584 (1996).
205. Evaluation of GrowMol.II. Synthesis and Inhibition Kinetics of Unsymmetrical Peptidyl Ureas. N.A. Dales, R.S. Bohacek, and D.H. Rich, in "Peptides: Chemistry, Structure and Biology," P.T.P. Kaumaya and R.S. Hodges (Eds.), Mayflower Scientific Ltd., pp. 599-600 (1996).
206. Mechanical Effects on the Kinetics of the HIV Proteinase Deactivation. P. Kuzmic, A.G. Peranteau, C. Garcia-Echeverria, and D.H. Rich, Biochem. Biophys. Research Commun., 221(2), 313-317 (1996).
207. Transformation of Peptides into Non-peptides - Synthesis of Computer-Generated Enzyme Inhibitors. D.H. Rich, R.S. Bohacek, N.A. Dales, P. Glunz, and A.S. Ripka, Chimia, 51(1-2), 45-47, (1997).
208. Novel Cyclic Biphenyl Ether Peptide β -Strand Mimetics and HIV-Protease Inhibitors. J.W. Janetka, P. Raman, K. Satyshur, G.R. Flentke, and D.H. Rich, J. Amer. Chem. Soc., 119, 441-442 (1997).
209. Total Synthesis of the Cyclic Biphenyl Ether Peptides K-13 and OF-4949 via SNAr Macrocyclization of Peptidyl Ruthenium Arene Complexes. J.W. Janetka and D.H. Rich, J. Amer. Chem. Soc., 119, 6488-6495 (1997).

210. Synthesis of Novel Cyclic Protease Inhibitors Using Grubbs Olefin Metathesis. A.S. Ripka, R.S. Bohacek, and D.H. Rich, Bioorg. Medicinal Chem. Letts., 8, 357-360 (1998).
211. Role of Cyclophilin A in the uptake of HIV-1 by Macrophages and T-Lymphocytes. B. Sherry, G. Zybarth, M. Alfano, L. Dubrovsky, R. Mitchell, D. H. Rich, P. Ulrich, R. Bucala, A. Cerami, and M. Bukrinsky, Proc. Natl. Acad. Sci USA, 95, 1758-1763 (1998).
212. On-Resin N-Methylation Circumvents a Deletion Peptide Formed During the Synthesis of Cyclosporin Analogs. P. Raman, Y.M. Angell, G.R. Flentke, and D.H. Rich, in "Proceedings of the 15th American Peptide Symposium," J.P. Tam and P.T.P. Kaumaya (Eds.), Kluwer Academic Publ., 223-225 (1999).
213. Solid-Phase Synthesis of Cyclosporins Involving On-Resin and Solution Cyclizations. Y.M. Angell, P. Raman, G.R. Flentke, and D.H. Rich, in "Innovation and Perspectives in Solid-Phase Synthesis & Combinatorial Chemical Libraries, 1999 Collected Papers, Fifth International Symposium," Epton, R. (Ed.), Mayflower Scientific Ltd., Kinswinford, England, pp. 135-138.
214. Methods to Circumvent Difficult Couplings in the Solid Phase Synthesis of Cyclosporine Analogs. P. Raman, S.S. Stokes, Y.M. Angell, G.R. Flentke, and D.H. Rich, J. Org. Chem., 5734-5735 (1998).
215. Recent Advances in Peptidomimetic Design. A.S. Ripka and D.H. Rich, Current Opinions in Chemical Biology, 4, 439-452 (1998).
216. Inhibition of HIV-1 Protease by a Subunit of Didemnaketal A. X. Fan, G.R. Flentke, and D.H. Rich, J. Amer. Chem. Soc., 120, 8893-8894 (1998).
217. Synthesis of (3R)-Amino-(2S)-Hydroxy Amino Acids for Inhibition of Methionine Aminopeptidase-1. S.J. Keding, N.A. Dales, D. Beaulieu, and D.H. Rich, Synthetic Communications, 28, 4463-4470 (1998).
218. Substrates and Inhibitors of Human T-Cell Leukemia Virus Type I Protease. Y.S. Ding, D.H. Rich, and R.A. Ikeda, Biochemistry, 37, 17514-17518 (1998).
219. Reduction of Sterically Hindered α,α -Disubstitution Amino Esters. P.W. Glunz and D.H. Rich, Synthetic Communications, 28, 4463-4470 (1998).
220. Exploring the Universe of Molecules for New Drugs. R. Bohacek, C. McMartin, P. Glunz, A. Ripka, and D.H. Rich, Alfred Benzon Symp., 42, 341-356 (1998).
221. Escherichia coli Methionine Aminopeptidase: Implications of Crystallographic Analyses of the Native, Mutant, and Inhibited Enzymes for the Mechanism of Catalysis. W.T. Lowther, A.M. Orville, D.T. Madden, S.J. Lim, D.H. Rich, and B.W. Matthews, Biochemistry, 38, 7678-7688 (1999).
222. Purification and Crystallization of Rhizopuspepsin: The Use of Nickel Chelation Chromatography to Select for Catalytically Active Species. G.R. Flentke, J. Glinski, K. Satyshur, and D.H. Rich, Protein Expression and Purification, 16, 213-220 (1999).

223. Biological Activities of Non-immunosuppressive Cyclosporin Analogs. S.S. Stokes and D.H. Rich, IDrugs, 2, 782-795 (1999).
224. Two Syntheses of the 16- and 17-membered DEF Ring Systems of Chloropectin and Complestatin. A.M. Elder and D.H. Rich, Org. Letts., 1, 1443 (1999).
225. Novel Cyclic Tripeptides and Substituted Aromatic Acids via Ruthenium Activated SNAr Reactions. C.W. West and D.H. Rich, Org. Letts., 1, 1819 (1999).
226. Mimetic Peptides, Demanding Enzymes and Drug Discovery. D.H. Rich, in "Proceedings of 16th American Peptide Symposium," G.B. Fields, J.P. Tam, and G. Barany (Eds.), Kluwer Academic Publishers, Dordrecht/Boston/London, pp. 3-16 (Merrifield Award Lecture) (2000).
227. Structural Basis for BABIM Inhibition of Botulinum Neurotoxin Type B Protease. M.A. Hanson, T.K. Oost, C. Sukonpan, D.H. Rich, and R.C. Stevens, J. Amer. Chem. Soc., 122, 11268 (2000).
228. Design and Synthesis of Inhibitors of Botulinum Neurotoxin A and B Metalloproteases. T.K. Oost, C. Sukonpan, and D.H. Rich, in "Peptides for the New Millennium," G.B. Fields, J.P. Tam, and G. Barany (Eds.), Kluwer Academic Publishers, Dordrecht/Boston/London, pp. 24-25 (2000).
229. Formation of Substituted Aromatic Rings in Amino Acid Systems via Ruthenium Activated SnAr Reactions. C.W. West, J.W. Janetka, and D.H. Rich, in "Peptides for the New Millennium," G.B. Fields, J.P. Tam, and G. Barany (Eds.), Kluwer Academic Publishers, Dordrecht/Boston/London, pp. 64-65 (2000).
230. Synthesis of Model Systems of the Complement Inhibitors, Complestatin and Chloropectin. A.M. Elder and D.H. Rich, in "Peptides for the New Millennium," G.B. Fields, J.P. Tam, and G. Barany (Eds.), Kluwer Academic Publishers, Dordrecht/Boston/London, pp. 260-261 (2000).
231. Design and Synthesis of AHHpA Isosteres for the Potential Inhibition of Methionine Aminopeptidase-1. S.J. Keding and D.H. Rich, in "Peptides for the New Millennium," G.B. Fields, J.P. Tam, and G. Barany (Eds.), Kluwer Academic Publishers, Dordrecht/Boston/London, pp. 431-432 (2000).
232. Merging Rational Drug Design with Combinatorial Chemistry: Reasonable and Unreasonable Expectations. D.H. Rich, N.A. Dales, X. Fan, G. Flentke, P. Glunz, S.J. Keding, A.S. Ripka, K. Satyshur, in "Medicinal Chemistry into the Millennium," M.M. Campbell (Ed.), I.S. Blagbrough Royal Society of Chemistry, pp. 16-24 (2001).
233. Synthesis of a Tripeptide Derivative Containing the Phe-Arg Hydroxyethylene Dipeptide Isostere. M. Brewer and D.H. Rich, Org. Letts., 3, 945-948 (2001).
234. New Methods for Side-Chain Protection of Cysteine. C.W. West, M.A. Estiarte, and D.H. Rich, Org. Letts., 3, 1205-1208 (2001).

235. Aspartic Protease Inhibitors Designed from Computer-Generated Templates Bind as Predicted. A.S. Ripka, K.A. Satyshur, R.S. Bohacek, and D.H. Rich, Org. Letts., 3, 2309-2312 (2001).
236. Design and Synthesis of Unsymmetrical Peptidyl Urea Inhibitors of Aspartic Peptidases. N.A. Dales, R.S. Bohacek, K.A. Satyshur, and D.H. Rich, Org. Letts., 3, 2313-2316 (2001).
237. From Peptides to Non-Peptide Peptidomimetics: Design and Synthesis of New Piperidine Inhibitors of Aspartic Peptidases. M.G. Bursavich, C.W. West, and D.H. Rich, Org. Letts., 3, 2317-2320 (2001).
238. Aspartic Protease Inhibitors: Expedient Synthesis of 2-Substituted Statines. J.M. Travins, M.G. Bursavich, D.F. Veber, and D.H. Rich, Org. Letts., 3, 2725-2728 (2001).
239. Solid-Phase Synthesis of Aspartic Peptidase Inhibitors: 3-Alkoxy-4-Aryl Piperidines. M.G. Bursavich and D.H. Rich, Org. Letts., 3, 2625-2628 (2001).
240. Designing Non-Peptide Peptidomimetics in the 21st Century: Inhibitors Targeting Conformational Ensembles. M.G. Bursavich and D.H. Rich, J. Med. Chem., 45, 541-558 (2002).
241. Discovery of Nonpeptide, Peptidomimetic Peptidase Inhibitors that Target Alternate Enzyme Active Site Conformations. D.H. Rich, M.G. Bursavich, and M. Angels Estiarte, Biopolymers (Peptide Science), 66, 115-125
242. Solution and Solid Phase Synthesis of Nonpeptide Peptidomimetic Aspartic Peptidase Inhibitors. M.G. Bursavich and D.H. Rich, Peptides: The Wave of the Future, Proceedings of the Second International and the Seventeenth American Peptide Symposium, San Diego, CA, June 9-14, 2001 (2002), 537-538.
243. Synthetic Progress Towards a TMC-95 Analogue as a Potential Proteasome Inhibitor. M.A. Estiarte, A.M. Elder, and D.H. Rich, Peptides: The Wave of the Future, Proceedings of the Second International and the Seventeenth American Peptide Symposium, San Diego, CA, June 9-14, 2001 (2002), 532-533.
244. One-pot of Azides to Protected Guanidines via the Staudinger Reduction; Synthesis and Utilization of the Phe-Arg Hydroxyethylene Dipeptide Isostere. M. Brewer and D.H. Rich, Peptides: The Wave of the Future, Proceedings of the Second International and the Seventeenth American Peptide Symposium, San Diego, CA, June 9-14, 2001 (2002), 40-41.
245. Sequencing Hydroxyethylamine-Containing Peptides via Edman Degradation. M. Brewer, T. Oost, C. Sukonpan, M. Pereckas, and D.H. Rich, Organic Letters, 4(20), 3469-3472 (2002).
246. Structural Basis for BABIM Inhibition of Botulinum Neurotoxin Type B Protease [Erratum for J. Am. Chem. Soc. 2000, 122, 11268-11269].] M.A. Hanson, T.K. Oost, C. Sukonpan, and D.H. Rich, Journal of the American Chemical Society, 124(34), 10248 (2002).

247. *Peptidomimetics for Drug Design*. M.A. Estiarte and D.H. Rich, in *Burger's Medicinal Chemistry*, 6th Edition. Editor-in-chief, Donald Abraham. John Wiley & Sons, Inc. NY, NY, 2003, Vol. 1, pp 633-685.
248. Chapter 23. *Stereochemical Aspects of Drug Action I. (Conformational Restriction, Steric Hindrance and Hydrophobic Collapse)*. D.H. Rich, M. Angels Estiarte, and P.A. Hart, in *The Practice of Medicinal Chemistry 2nd Edition*, Edited by Camille G. Wermuth, Academic Press Ltd, London 2003, pp 371-386.
249. Design and Synthesis of Substrate-based Inhibitors of Botulinum Neurotoxin Type B Metalloprotease, T. Oost, C. Sukonpan, M. Brewer, M. Goodnough, W. Tepp E. A. Johnson and D. H. Rich *Biopolymers (Peptide Sci)* **71**, 602-619 (2003).
250. Synthesis of Substrates and Inhibitors of Botulinum Neurotoxin Type A Metalloprotease, C. Sukonpan, T. Oost, M. Goodnough, W. Tepp E. A. Johnson and D. H. Rich *J. Peptide Research*, **63**, 181-193 (2004).
251. Brewer, M., Clint, J. & Rich, D. H. (2004) Synthesis of a tripeptide derivative containing the Gln-Arg hydroxyethylene dipeptide isostere. **6**(25); 4779-4782.
252. Haug, B. E. & Rich, D. H. (2004) Synthesis of a Gln-Phe Hydroxyethylene Dipeptide Isostere. **6**(25); 4783-4786
253. Haug, B. E. Brewer, M, & D. H. Rich. Facile degradative lactonization of Gln-Arg and Gln-Phe hydroxyethylene dipeptide derivatives. *Journal of Peptide Research*. In press.

Books

1. *Peptides: Synthesis, Structure and Function*. D.H. Rich and E. Gross (Eds.), Pierce Chem. Co., Rockford, IL (1981).
2. *Peptides: Structure and Mechanism*. V.J. Hruby and D.H. Rich (Eds.), Pierce Chemical Co., Rockford, IL (1983).